



# SAFETY DATA SHEET

## Silicone Paste Lubricant

Page: 1

Revision: 09/18/2017

Supersedes Revision: 07/02/2014

### 1. Product and Company Identification

**Product Code:** BS-P  
**Product Name:** Silicone Paste Lubricant  
**Company Name:** Crest Industries, Inc.  
1337 King Road  
Trenton, MI 48183  
**Phone Number:** (734)479-4141  
**Web site address:** crestauto.com  
**Emergency Contact:** Chemtel (800)255-3924  
International Calls (813)248-0585  
**Stock Number(s):** BS-P

### 2. Hazards Identification

**GHS Signal Word:** None  
**GHS Hazard Phrases:** No phrases apply.  
**GHS Precaution Phrases:** No phrases apply.  
**GHS Response Phrases:** No phrases apply.  
**GHS Storage and Disposal Phrases:** No phrases apply.  
**Eye Contact:** May cause eye irritation.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
63148-62-9	Polydimethylsiloxane	85.00 - 95.00 %
112945-52-5	Silica, amorphous treated	5.000 - 9.000 %

### 4. First Aid Measures

#### Emergency and First Aid Procedures:

**In Case of Inhalation:** If breathed in, move person into fresh air.  
**In Case of Skin Contact:** Wash off with soap and plenty of water.  
**In Case of Eye Contact:** Flush eyes with water as a precaution.  
**In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water.

### 5. Fire Fighting Measures

**Flash Pt:** > 113 C (235 F) Method Used: Estimate  
**Explosive Limits:** LEL: UEL:  
**Autoignition Pt:** NA  
**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.  
**Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary.  
**Flammable Properties and Hazards:**  
**Hazardous Combustion Products:**



# SAFETY DATA SHEET

## Silicone Paste Lubricant

Page: 2

Revision: 09/18/2017

Supersedes Revision: 07/02/2014

### 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Do not let product enter drains.  
Keep in suitable, closed containers for disposal.

### 7. Handling and Storage

**Precautions To Be Taken in Handling:** Normal measures for preventive fire protection.  
**Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
63148-62-9	Polydimethylsiloxane			
112945-52-5	Silica, amorphous treated			

**Respiratory Equipment (Specify Type):** is not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Eye Protection:** Safety glasses.

**Protective Gloves:** Handle with gloves. Wash and dry hands.

**Other Protective Clothing:** Impervious clothing.

**Engineering Controls (Ventilation etc.):**

**Work/Hygienic/Maintenance Practices:** General industrial hygiene practice.

### 9. Physical and Chemical Properties

**Physical States:** ☐ Gas ☒ Liquid ☐ Solid

**Appearance and Odor:** green.  
Oily odor.

**pH:**

**Melting Point:** NA - 27.4 C (81.3 F)

**Boiling Point:** > 316 C (601 F)

**Flash Pt:** > 113 C (235 F) Method Used: Estimate

**Evaporation Rate:**

**Flammability (solid, gas):**

**Explosive Limits:** LEL: UEL:

**Vapor Pressure (vs. Air or mm Hg):**

**Vapor Density (vs. Air = 1):**

**Specific Gravity (Water = 1):**

**Density:** 0.841 G/ML

**Solubility in Water:**



# SAFETY DATA SHEET

## Silicone Paste Lubricant

Page: 3

Revision: 09/18/2017  
Supersedes Revision: 07/02/2014

Octanol/Water Partition

Coefficient:

Autoignition Pt: NA

Decomposition Temperature:

Viscosity:

### 10. Stability and Reactivity

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or formed under fire conditions. Carbon oxides.

Byproducts:

Possibility of Hazardous Will occur [ ] Will not occur [ X ]

Reactions:

Conditions To Avoid -

Hazardous Reactions:

### 11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other

Information:

Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
63148-62-9	Polydimethylsiloxane	n.a.	n.a.	n.a.	n.a.
112945-52-5	Silica, amorphous treated	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

### 13. Disposal Considerations

Waste Disposal Method: Offer surplus and non-recyclable solutions to a licensed disposal company.

### 14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:

UN Number:

Hazard Class:

TDG Classification:



# SAFETY DATA SHEET

## Silicone Paste Lubricant

Page: 4

Revision: 09/18/2017

Supersedes Revision: 07/02/2014

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
63148-62-9	Polydimethylsiloxane	No	No	No
112945-52-5	Silica, amorphous treated	No	No	No

This material meets the EPA ☒ Yes ☐ No Acute (immediate) Health Hazard  
'Hazard Categories' defined ☐ Yes ☒ No Chronic (delayed) Health Hazard  
for SARA Title III Sections ☐ Yes ☒ No Fire Hazard  
311/312 as indicated: ☐ Yes ☒ No Sudden Release of Pressure Hazard  
☐ Yes ☒ No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
63148-62-9	Polydimethylsiloxane	No	No	Yes
112945-52-5	Silica, amorphous treated	No	No	Yes

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
63148-62-9	Polydimethylsiloxane	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
112945-52-5	Silica, amorphous treated	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
63148-62-9	Polydimethylsiloxane	
112945-52-5	Silica, amorphous treated	

#### Canadian WHMIS Classification:

### 16. Other Information

Revision Date: 09/18/2017

#### Additional Information About This Product:

#### Company Policy or

#### Disclaimer:

The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.