

Page: 1

Revision: 01/17/2023

1. Product and Company Identification

Product Code: CU-BB (A)

Product Name: Black Bird (Part A)

Company Name: Crest Industries, Inc. Phone Number:

1337 King Road (734)479-4141

Trenton, MI 48183

Web site address: crestauto.com

Emergency Contact: Velocity EHS (800)255-3924

International Calls (813)248-0585

Stock Number(s): CF-F

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Respiratory Sensitization, Category 1

Skin Sensitization, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

GHS Precautionary Phrases: P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands, and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

P501 - Dispose of contents/container in accordance with local/regional/national and

international regulations.

Phrases:



Page: 2

Revision: 01/17/2023

3. Composition/Information on Ingredients

CAS# **Hazardous Components (Chemical Name)** Concentration 68424-09-9 Castor oil, polymer with 1,1'-methylenebis 60.00 - 80.00 %

(4-isocyanatobenzene)

10.00 - 30.00 % 14807-96-6 Talcum

101-68-8 <5.000 % Methylenebis(phenylisocyanate)

67762-90-7 Siloxanes and silicones, di-me, reaction products 5.000 - 10.00 %

with silica

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. In Case of Eye Contact:

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of Note to Physician:

dangerous area.

5. Fire Fighting Measures

> 204 C (> 400 F) Flash Pt:

LEL: N.E. UEL: N.E. **Explosive Limits:**

Autoignition Pt: None

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Use water spray, dry chemical, carbon dioxide, or

alcohol-resistant foam.

Unsuitable Extinguishing

Media:

Do NOT use straight streams of water.

Fire Fighting Instructions:

Wear self contained breathing apparatus for fire fighting if necessary.

Flammable Properties and

Hazards:

Products:

Hazardous Combustion

Carbon monoxide, Carbon dioxide, isocyanates, Hydrocarbons. nitrogen oxides. oxides

of phosphorus, aluminum oxide, phosphine.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure

adequate ventilation.

Prevent further leakage or spillage if safe to do so. Discharge into the environment must

be avoided.

Keep in suitable, closed containers for disposal.



Page: 3

Revision: 01/17/2023

7. Handling and Storage

Precautions To Be Taken in Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Handling: Normal measures for preventive fire protection.

naturing.

Precautions To Be Taken in

Keep container tightly closed in a dry and well-ventilated place.

Storing:

8. Exposure Controls/Personal Protection

CAS # Partial Chemical Name OSHA TWA ACGIH TWA Other Limits

68424-09-9 Castor oil, polymer with
1,1'-methylenebis

(4-isocyanatobenzene)

14807-96-6 Talcum PEL: 706 mppm3/20 mppcf

101-68-8 Methylenebis(phenylisocyanate) CEIL: 0.02 ppm TLV: 0.005 ppm

67762-90-7 Siloxanes and silicones, di-me, reaction

products with silica

Respiratory Equipment Where risk assessment shows air-purifying respirators are appropriate use a full-face

respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN

(EU).

Eye Protection: Face shield and safety glasses.

Protective Gloves: Handle with gloves. Dispose of contaminated gloves after use in accordance with

applicable laws and good laboratory practices. Wash and dry hands.

Other Protective Clothing: Complete suit protecting against chemicals.

Engineering Controls (Ventilation etc.):

(Specify Type):

Use adequate general or local exhaust ventilation to keep airborne concentrations below

the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Beige.

Viscous. Liquid. musty odor.

pH:

Melting Point: NA - 5.00 C (41.0 F)

Boiling Point: 208 C (406 F) **Flash Pt:** > 204 C (> 400 F)

Evaporation Rate:

Flammability (solid, gas):

Explosive Limits: LEL: N.E. UEL: N.E.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): 8.5

Specific Gravity (Water =

1):

Density: 1.32 G/ML (11 - LB/GA)

Licensed to Crest Industries, Inc.



Page: 4

Revision: 01/17/2023

Solubility in Water:

Solubility Notes: Not miscable.

Saturated Vapor Concentration:

Octanol/Water Partition

Coefficient:

Autoignition Pt:

None

Decomposition Temperature: Viscosity:

Information with regard to primary physical hazard:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - High temperatures.

Instability:

Incompatibility - Materials To Strong oxidizing agents, acids, Amines, Bases, Alcohols, Aluminum, Ammonia, Water.

Avoid: Zinc, Alkenes. Copper alloys. Fluorides. Iron.

Hazardous Decomposition or

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Hazardous Reactions:

11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other Carcinogenicity.

Information: IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68424-09-9	Castor oil, polymer with 1,1'-methylenebis (4-isocyanatobenzene)	n.a.	n.a.	n.a.	n.a.
14807-96-6	Talcum	n.a.	3	n.a.	n.a.
101-68-8	Methylenebis(phenylisocyanate)	n.a.	3	n.a.	n.a.
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	n.a.	n.a.	n.a.	n.a.



Page: 5

Revision: 01/17/2023

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Contact a licensed professional waste disposal service to dispose of this material.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number: None LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

UN Number: None

Hazard Class: TDG Classification:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68424-09-9	Castor oil, polymer with 1,1'-methylenebis (4-isocyanatobenzene)	No	No	No
14807-96-6	Talcum	No	No	No
101-68-8	Methylenebis(phenylisocyanate)	No	Yes NA	Yes-Cat. N120
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

CAS#	Hazardous Components (Chemical Name)	Canadian N	IPRI Canadian Toxic Canadian DSL
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		
[] Yes [X] No	Combustible Dust		
[] Yes [X] No	In contact with water emits flammable gas	[] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[] Yes [X] No	Gas under pressure (compressed gas)	[] Yes [X] No	Simple Asphyxiant
[] Yes [X] No	Corrosive to metal	[] Yes [X] No	Aspiration Hazard
[] Yes [X] No	Organic peroxide	[] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[] Yes [X] No	Self-heating	[] Yes [X] No	Reproductive toxicity
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity
[] Yes [X] No	Self-reactive	[X] Yes [] No	Respiratory or Skin Sensitization
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [] No	Serious eye damage or eye irritation
[] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [] No	Skin Corrosion or Irritation
[] Yes [X] No	Explosive	[X] Yes [] No	Acute toxicity (any route of exposure)
	· · · · · · · · · · · · · · · · · · ·		

[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)				
CAS#	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL	
68424-09-9	Castor oil, polymer with 1,1'-methylenebis (4-isocyanatobenzene)	No	No	Yes	
14807-96-6	Talcum	No	No	Yes	
101-68-8	Methylenebis(phenylisocyanate)	Yes: Part 1A	Yes - 147.	Yes	
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	Yes	
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
68424-09-9	Castor oil, polymer with 1,1'-methylenebis (4-isocyanatobenzene)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:			



Page: 6

Revision: 01/17/2023

14807-96-6 Talcum

No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 4203; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No;

WI Air: Yes

101-68-8 Methylenebis(phenylisocyanate)

CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes-Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes: US HAP; NJ EHS: Yes - Cat.; NY Part 597: Yes: HS; PA

HSL: Yes - E; SC TAP: Yes; WI Air: Yes

67762-90-7 Siloxanes and silicones, di-me, reaction products

with silica

Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

Air: No

16. Other Information

Revision Date: 01/17/2023

Additional Information About

This Product:

Company Policy or

Disclaimer:

The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.



Page: 1

Revision: 01/17/2023

1. Product and Company Identification

Product Code: CU-BB (B)

Product Name: Black Bird (Part B)

Crest Industries, Inc. Phone Number: 1337 King Road (734)479-4141

Trenton, MI 48183

Web site address: crestauto.com

Emergency Contact: Velocity EHS (800)255-3924

International Calls (813)248-0585

Stock Number(s): CF-F

2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2B

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H320 - Causes eye irritation.

H335 - May cause respiratory irritation.

GHS Precautionary Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash face, hands, and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P332+313 - If skin irritation occurs, get medical advice/attention.
P337+313 - If eye irritation persists, get medical advice/attention.
P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal

P403+233 - Store container tightly closed in well-ventilated place.

Phrases:

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national and

international regulations.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration
25791-96-2 Polyether polyol 40.00 - 70.00 %

14807-96-6 Talcum 25.00 - 50.00 % 67762-90-7 Siloxanes and silicones, di-me, reaction products 5.000 - 10.00 %

with silica



Page: 2

Revision: 01/17/2023

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

Wash off with soap and plenty of water. Consult a physician. In Case of Skin Contact:

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Never give anything by mouth to an unconscious person. Rinse mouth with water. In Case of Ingestion:

Consult a physician.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

5. Fire Fighting Measures

> 163 C (> 325 F) Flash Pt:

LEL: UEL: **Explosive Limits:**

None Autoignition Pt:

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Use water spray, dry chemical, carbon dioxide, or

alcohol-resistant foam.

Unsuitable Extinguishing

Media:

Do NOT use straight streams of water.

Wear self contained breathing apparatus for fire fighting if necessary. Fire Fighting Instructions:

Flammable Properties and

Hazards:

Hazardous Combustion

Products:

Carbon monoxide, Carbon dioxide, isocyanates, Hydrocarbons, nitrogen oxides, oxides

of phosphorus, aluminum oxide, phosphine.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure

adequate ventilation.

Prevent further leakage or spillage if safe to do so. Discharge into the environment must

be avoided.

Keep in suitable, closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Handling:

Normal measures for preventive fire protection.

Precautions To Be Taken in

Keep container tightly closed in a dry and well-ventilated place.

Storing:

8. Exposure Controls/Personal Protection

Partial Chemical Name OSHA TWA ACGIH TWA Other Limits CAS#

25791-96-2 Poly[oxy(methyl-1,2-ethanediyl)],

.alpha.,.alpha.',.alpha."

14807-96-6 Talcum PEL: 706 mppm3/20 mppcf

67762-90-7 Siloxanes and silicones, di-me, reaction

products with silica

Licensed to Crest Industries, Inc.

Multi-region format



Page: 3

Revision: 01/17/2023

Respiratory Equipment

(Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection:

Face shield and safety glasses.

Protective Gloves:

Handle with gloves. Dispose of contaminated gloves after use in accordance with

applicable laws and good laboratory practices. Wash and dry hands.

Other Protective Clothing:

Complete suit protecting against chemicals.

Engineering Controls (Ventilation etc.):

Use adequate general or local exhaust ventilation to keep airborne concentrations below

the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Black. Appearance and Odor:

> Viscous. Liquid. musty odor.

pH:

Melting Point: NA - 5.00 C (41.0 F)

NA **Boiling Point:**

> 163 C (> 325 F) Flash Pt:

Evaporation Rate:

Flammability (solid, gas):

UEL: **Explosive Limits:** LEL:

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): > air

Specific Gravity (Water =

1):

Density: 1.34 G/ML (11.2 - LB/GA)

Solubility in Water:

Not miscable. **Solubility Notes:**

Saturated Vapor Concentration:

Octanol/Water Partition

Coefficient:

Autoignition Pt:

Decomposition Temperature: Viscosity:

None

Information with regard to primary physical hazard:



Page: 4

Revision: 01/17/2023

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - High temperatures, Moisture.

Instability:

night temperatures, Moisture

motability.

 $\label{local_compatibility} \textbf{Incompatibility - Materials To} \ \ \text{Strong oxidizing agents, acids.}$

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide, Aldehydes.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Hazardous Reactions:

11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other Carcinogenicity.

Information: IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25791-96-2	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."	n.a.	n.a.	n.a.	n.a.
14807-96-6	Talcum	n.a.	3	n.a.	n.a.
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. Contact a licensed professional waste disposal service to dispose

of this material.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number: None LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

UN Number: None

Hazard Class: TDG Classification:

Licensed to Crest Industries, Inc.

Multi-region format



Page: 5

Revision: 01/17/2023

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act	of 1986) Lists		
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)) S. 304 RQ	S. 313 (TRI)
25791-96-2	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."	No	No	No
14807-96-6	Talcum	No	No	No
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	No
This materia	al meets the EPA 'Hazard Categories' defined	d for SARA Tit	tle III Sections 311/3	12 as indicated:
[] Yes [X] No	Explosive	[] Yes [X] No	Acute toxicity (any route of	exposure)
[] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)		Skin Corrosion or Irritation	
[] Yes [X] No	Oxidizer (liquid, solid or gas)		Serious eye damage or eye	
[] Yes [X] No	Self-reactive		Respiratory or Skin Sensiti	zation
[] Yes [X] No	Pyrophoric (liquid or solid)		Germ cell mutagenicity	
[] Yes [X] No	Pyrophoric gas		Carcinogenicity	
[] Yes [X] No [] Yes [X] No	Self-heating Organic peroxide		Reproductive toxicity	ty (single or repeated exposure)
[] Yes [X] No	Corrosive to metal		Aspiration Hazard	ty (sirigle of repeated exposure)
[] Yes [X] No	Gas under pressure (compressed gas)		Simple Asphyxiant	
[] Yes [X] No	In contact with water emits flammable gas		(Health) Hazard Not Other	wise Classified (HNOC)
[]Yes [X]No	Combustible Dust	., .,		(7
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)			
CAS#	Hazardous Components (Chemical Name)	Canadian NP	PRI Canadian Toxic	Canadian DSL
25791-96-2	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''	No	No	Yes
14807-96-6	Talcum	No	No	Yes
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	Yes
CAS#	Hazardous Components (Chemical Name)	Other US EP	A or State Lists	
25791-96-2	Poly[oxy(methyl-1,2-ethanediyl)],	CAA HAP,OI	DC: No; CWA NPDES:	No; TSCA: Yes -
	.alpha.,.alpha.',.alpha."	Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No		
14807-96-6	Talcum	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 4203; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: Yes		
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No		



Page: 6

Revision: 01/17/2023

16. Other Information

Revision Date: 01/17/2023

Additional Information About

This Product:

Company Policy or

Disclaimer:

The information contained in this SDS is believed to be accurate and reliable as of the date indicated. Crest Industries, Inc. assumes no legal responsibility and makes no representation, warranty or guarantee, expressed or implied, as to the completeness or accuracy of the information. It is offered solely for your consideration, investigation and verification. The user is ultimately responsible for the safe use of the material in accordance with applicable federal, state, provincial and local laws and regulations.