

# SAFETY DATA SHEET

Issue Date 03-26-2020 Revision Date 03-26-2020 Version 3

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Name:** GEAR GUARD™ SAE 75W-140

Other means of identification

Common Name: 0148

UN/ID No Not regulated

Synonyms None

Product Categories Automotive Gear Lubricant

Recommended use of the chemical and restrictions on use

Sale and Use Restrictions Not applicable

**Recommended Use** Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

**Supplier Address** 

MOC PRODUCTS CO., INC. 12306 Montague Street Pacoima, CA 91331

Emergency telephone number

Company Phone Number MOC PRODUCTS CO., INC. (818) 794-3500

Emergency Telephone CHEMTREC 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

# Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### Label elements

**Emergency Overview** 

Appearance Oil Physical state Liquid Odor Petroleum

**Precautionary Statements - Response** 

Hazards not otherwise classified (HNOC)

Other information

99 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Highly Refined Mineral Oil (C15-C50)	MIXTURE	0-99	*
Hydrotreated Heavy Paraffinic Oil	64742-54-7	0-60	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

First aid measures

**General advice** If symptoms persist, call a physician.

**Skin contact** Rinse immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Wash contaminated clothing before reuse.

**Inhalation** IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, give artificial respiration. Administer oxygen if breathing is difficult. If unconscious, place in recovery position and seek medical attention immediately.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical attention.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

**Symptoms** Drowsiness, Dizziness, Coughing and/ or wheezing; Skin irritation, Eye irritation.

Indication of any immediate medical attention and special treatment needed

Self-protection of the first aider Low hazard for usual industrial or commercial handling.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide (CO2), Dry chemical, Foam.

Small Fire Dry chemical or CO2.

Large Fire Foam.

**Explosive properties:** Risk of explosion if heated under confinement: Fire or intense heat may cause violent

rupture of packages.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Runoff may pollute waterways.

Hazardous combustion products Carbon monoxide, Carbon dioxide (CO2).

**Specific methods:** 

Sensitivity to Mechanical Impact None.

**Sensitivity to Static Discharge** May be ignited by heat, sparks or flames.

**Special firefighting procedures:** 

No action shall be taken involving any personal risk without suitable training. Evacuate surrounding areas. Dike to collect large liquid spills. Do not allow run-off from fire-fighting to enter drains or water courses. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid spreading burning liquid with

\_\_\_\_\_

water used for cooling purposes. Do not use water jet. Water mist may be used to cool closed containers. Move containers from fire area if you can do it without risk.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not touch or walk through spilled material. Use personal protective equipment. See

Section 8 for information on appropriate personal protective equipment. Evacuate personnel

to safe areas. Avoid contact with skin, eyes and clothing.

**Environmental precautions** 

**Environmental precautions:** Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Local

authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Absorb spill with inert

material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for clean-up: Clean-up methods - small spillage. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to state, local, federal regulations. Clean with detergents. Avoid solvents. Clean-up methods - large spillage. Keep unnecessary personnel away. Dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled

material with soil and prevent runoff entering surface waterways.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Handling: Protect from physical damage. Keep container tightly closed in a dry and well-ventilated

place. Do not store at temperatures above 120°F (50°C). Keep product and empty container away from heat and sources of ignition. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose these containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers

retain product residue and can be hazardous.

Conditions for safe storage, including any incompatibilities

**Technical measures/precautions:** Ensure adequate ventilation. Eye wash and safety shower should be easily accessible.

Materials to avoid: Strong oxidizing agents, Strong reducing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA Exposure Limits:	NIOSH IDLH
Highly Refined Mineral Oil (C15-C50)	5 mg/m <sup>3</sup> TLV, 10 mg/m <sup>3</sup> STEL	5 mg/m³ PEL	-
MIXTURE		-	
Hydrotreated Heavy Paraffinic Oil	5 mg/m <sup>3</sup> TWA (mist) 10 mg/m <sup>3</sup>	5 mg/m³	IDLH: 2500 mg/m <sup>3</sup>
64742-54-7	STEL (mist)		TWA: 5 mg/m³
	· ·		STEL: 10 ma/m³

#### **Appropriate engineering controls**

**Engineering measures:** Ensure adequate ventilation. Eye wash and safety shower should be easily accessible.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear:

Face protection shield.

**Skin and body protection** Wear normal work clothing. Wear impervious protective clothing, including boots, gloves,

lab coat, apron or coveralls, as appropriate, to prevent skin contact: (consult with the

specific manufacturer to confirm performance).

**Respiratory protection** Ensure adequate ventilation. No protective equipment is needed under normal use

conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. A respiratory protection program that meets or is equivalent to

OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed whenever workplace

conditions warrant a respirator's use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. When using do not

eat, drink or smoke. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Take off

contaminated clothing and wash it before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

**Appearance** Oil Odor Petroleum

Color Clear Light Amber or Brown Odor threshold No information available

n-Butyl acetate = 1

Heavier than air

@ 100 °C

Remarks • Method **Property** Values

N/A Not applicable Hq Melting point/freezing point No information available

Boiling point / boiling range 315 °C / 599 °F Flash point > 150 °C / 302 °F

**Evaporation rate** < 1 No information available

Flammability (solid, gas)

Flammability Limits in Air Upper flammability limit No Data Available Lower flammability limit No Data Available

Vapor pressure < 0.0013 Vapor Pressure @20°C (kPa)

Vapor density >1 (air = 1) **Specific Gravity** 0.87-0.89 Water solubility Insoluble

Solubility in other solvents No Data Available Partition coefficient No Data Available **Autoignition temperature** No Data Available **Decomposition temperature** No Data Available Kinematic viscosity 23-27 mm2/s

**Dynamic viscosity** No Data Available **Explosive properties** No Data Available **Oxidizing properties** No Data Available

Other information

No Data Available Softening point Molecular weight No Data Available

**VOC Content (%)** 

**VOC Content (%)** None

0.87 g/cc-0.89 g/cc **Density Bulk density** No Data Available

# 10. STABILITY AND REACTIVITY

Reactivity

Reactivity Stable.

Chemical stability

Possibility of Hazardous Reactions May react with oxidizing agents.

Hazardous polymerization Hazardous polymerization does not occur.

**Conditions to avoid** 

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Strong reducing agents. Materials to avoid:

**Hazardous Decomposition Products** 

Hazardous Decomposition Products Carbon monoxide, Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** May be harmful if swallowed. May cause eye and skin irritation.

**Inhalation** Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause

respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of

oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

**Eye contact** Contact with eyes may cause irritation.

**Skin Contact** May cause irritation. Repeated exposure may cause skin dryness or cracking.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for

aspiration if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Highly Refined Mineral Oil (C15-C50)	-	-	-
MIXTURE			
Hydrotreated Heavy Paraffinic Oil	>5000mg/kg (Rat)	>5000 mg/kg (Rabbit)	=
64742-54-7			

## Information on toxicological effects

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Skin Sensitization: Not expected. Respiratory Sensitization: Not classified.

Mutagenic effects: No data available to indicate product or any components present at or greater than 0.1%

are mutagenic or genotoxic.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by IARC, NTP, or OSHA.

**Reproductive toxicity**No information available.

STOT - single exposure Not classified.
STOT - repeated exposure Not classified.

**Chronic toxicity** Prolonged skin contact may defat the skin and produce dermatitis.

Subchronic toxicityNo information available.Target Organ EffectsSkin; Eyes, Respiratory system.Neurological effectsNo information available.Other adverse effectsNo information available.

**Aspiration hazard** Risk of serious damage to the lungs (by aspiration).

# Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 99 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 254 mg/kg
ATEmix (dermal) 85 mg/kg
ATEmix (inhalation-vapor) 35 mg/l

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

99 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrotreated Heavy Paraffinic Oil		5000: 96 h Oncorhynchus		1000: 48 h Daphnia magna
64742-54-7		mykiss mg/L LC50		mg/L EC50

# Persistence and degradability

No information available.

#### **Bioaccumulation**

Bioaccumulative potential.

# **Mobility**

The product is insoluble and floats on water.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Do not reuse container. Dispose of in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### State Regulations (RTK)

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

#### NFPA Rating

Health hazards 1 Flammability 1

Instability 0

Physical and Chemical Properties -

**HMIS Rating** 

Health hazards 1

Flammability 1

Physical hazards 0

Personal protection C

Prepared by Environmental Health and Safety Department

 Issue Date
 03-26-2020

 Revision Date
 03-26-2020

#### **Revision Note**

This data sheet contains changes from the previous version in section(s): 3, 8, 9, 11.

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_